Biopolymers

Contents

Volume 34, 1994

Issue 1, January 1994

Modified Chemotactic Peptides: Synthesis, Crystal Conformation, and Activity of For-Hse(Me)-Leu-Phe-OMe / 1
I. Torrini, G. P. Zecchini, M. P. Paradisi, G. Lucente, E. Gavuzzo, F. Mazza, G. Pochetti, S. Traniello, and S. Spisani

Molecular Dynamics Simulation of Oligosaccharides Containing N-Acetyl Neuraminic Acid / 11
C. Mukhopadhyay and C. A. Bush

Conformation of the Oligosaccharide Receptor for E-Selectin / 21
C. Mukhopadhyay, K. E. Miller, and C. A. Bush

The Construction of a Trefoil Knot from a DNA Branched Junction Motif / 31
S. M. Du and N. C. Seeman

Direct Nuclear Overhauser Effect Refinement of Crambin from Two-Dimensional NMR Data Using a Slow-Cooling Annealing Protocol / 39
A. M. J. J. Bonvin, R. Boelens, and R. Kaptein

The Effect of the L-Azetidine-2-Carboxylic Acid Residue on Protein Conformation. IV. Local Substitutions in the Collagen Triple Helix / 51
A. Zagari, K. A. Palmer, K. D. Gibson, G. Némethy, and H. A. Scheraga

The Interaction of Substituted 2-Phenylquinoline Intercalators with Poly(A)·poly(U): Classical and Threading Intercalation Modes with RNA / 61
M. Zhao, L. Janda, J. Nguyen, L. Strekowski, and W. D. Wilson

$\alpha/3_{10}$-Helix Transitions in α-Methylalanine Homopeptides: Conformational Transition Pathway and Potential of Mean Force / 75
S. E. Huston and G. R. Marshall

A Vibrational Spectroscopic Study of the Self-Association of Polyinosinic Acid and Polyguanylic Acid in Aqueous Solution / 91
C. Simard and R. Savoie

Change in Mobility of Side Chains Due to Neutralization of Charged Poly(L-Lysine) with Dansyl Group / 101
T. Torii, T. Yamashita, and K. Horie

Configurational Statistics of the DNA Duplex: Extended Generator Matrices to Treat the Rotations and Translations of Adjacent Residues / 109
N. L. Marky and W. K. Olson

Spatial Translational Motions of Base Pairs in DNA Molecules: Application of the Extended Matrix Generator Method / 121
N. L. Marky and W. K. Olson

Solitary Wave Dynamics as a Mechanism for Explaining the Internal Motion During Microtubule Growth / 143
K.-C. Chou, C.-T. Zhang, and G. M. Maggiora

Issue 2, February 1994

Conformational Analysis of CCK-B Agonists Using ^{1}H-NMR and Restrained Molecular Dynamics: Comparison of Biologically Active Boc-Trp-(N-Me)Nle-Asp-Phe-NH_2 and Inactive Boc-Trp-(N-Me)Phe-Asp-Phe-NH_2 / 155
N. Goudreau, J. H. Weng, and B. P. Roques

Thermodynamics of Cyclophilin Catalyzed Peptidyl-Prolyl Isomerization by NMR Spectroscopy / 171
J. S. Videen, M. A. Stamnes, V. L. Hsu, and M. Goodman

CD and Fourier Transform IR Spectroscopic Studies of Peptides. II. Detection of β-Turns in Linear Peptides / 177
M. Hollósi, Zs. Majer, A. Z. Rónai, A. Magyar, K. Medzihradszky, S. Holly, A. Perczel, and G. D. Fasman

Transient Electric Birefringence of Agarose Gels. I. Unidirectional Electric Fields / 187
J. Stellwagen and N. C. Stellwagen

Conformational Analysis of Chitobiose and Chitosan / 203
T. Yui, H. Kobayashi, S. Kitamura, and K. Imada

Discontinuous Volume Transitions Induced by Calcium–Sodium Ion Exchange in Anionic Gels and Their Neurobiological Implications / 209
I. Tasaki and P. M. Byrne

Specificity of Trypsin Digestion and Conformational Flexibility at Different Sites of Unfolded Lysozyme / 217
Y. Noda, K. Fujiwara, K. Yamamoto, T. Fukuno, and S.-I. Segawa

Monte Carlo and Poisson–Boltzmann Calculations of the Fraction of Counterions Bound to DNA / 227
G. Lamm, L. Wong, and G. R. Pack

Electrophoretic Mobility of DNA in Gels. I. New Biased Reptation Theory Including Fluctuations / 239
T. Duke, J.-L. Viovy, and A. N. Semenov

Electrophoretic Mobility of DNA in Gels. II. Systematic Experimental Study in Agarose Gels / 249
C. Heller, T. Duke, and J. L. Viovy

Thermodynamic Strategies for Stabilizing Intermediate States of Proteins / 261
D. T. Haynie and E. Freire

Bioactive Peptides: Solid State, Solution and Molecular Dynamics Studies of a Cyclolinopeptide A-Related Cystinyl Cyclopentapeptide / 273
F. Rossi, M. Saviano, B. Di Blasio, G. Zanotti, A. M. Maione, T. Tancredi, and C. Pedone

Condensation of DNA by Basic Proteins Does Not Depend on Protein Composition / 285
M. Garcia-Ramírez and J. A. Subirana

Rheological Properties and Conformational States of β-Conglycinin Gels at Acidic pH / 293
T. Nagano, H. Mori, and K. Nishinari

RESEARCH COMMUNICATIONS

Vacuum-UV CD Spectrum and the X-Form of Double-Stranded Poly(dA-dT) / 299
M. Vorlíčková, W. C. Johnson, Jr., and J. Kypr

Issue 3, March 1994

Vibrational Raman Optical Activity of Alanyl Peptide Oligomers: A New Perspective on Aqueous Solution Conformation / 303
S. J. Ford, Z. Q. Wen, L. Hecht, and L. D. Barron

Does Flory–Huggins Theory Help in Interpreting Solute Partitioning Experiments? / 315
A. Holtzer

Analyzing the Normal Mode Dynamics of Macromolecules by the Component Synthesis Method: Residue Clustering and Multiple-Component Approach / 321
M.-H. Hao and H. A. Scheraga

Measuring the Geometry of DNA Grooves / 337
E. Stofer and R. Lavery

Conformational Transitions of a Dipeptide in Water: Effects of Imposed Pathways Using Umbrella Sampling Techniques / 347
F. Fraternali and W. F. Van Gunsteren

Microwave Dielectric Study on Bound Water of Globule Proteins in Aqueous Solution / 357
N. Miura, N. Asaka, N. Shinyashiki, and S. Mashimo

Low-Temperature IR Spectroscopy Reveals Four Stages of Water Loss During Lyophilization of Hen Egg White Lysozyme / 365
R. L. Remmele, Jr., and C. Stushnoff

A Laser Light Scattering Study of Gellan Gels / 371
P. M. Burne and D. B. Sellen

Lagrangian Molecular Dynamics Using Selected Conformational Degrees of Freedom, with Application to the Pseudorotation Dynamics of Furanose Rings / 383
W. R. Rudnicki, B. Lesyng, and S. C. Harvey

Microcalorimetric Investigations of the Interactions of Small Ions with Arterial Elastin / 393
C. P. Winlove and K. H. Parker

Crystal Structure and NMR Conformation of a Cyclic Pseudotetrapeptide Containing Urethane Backbone Linkages / 403
G. N. Parkinson, Y. Wu, P. Fan, J. Kohn, J. Baum, and H. M. Berman

Kinetics of DNA Supercoiling Studied by Brownian Dynamics Simulation / 415
G. Chirico and J. Langowski

Photophysical Behavior of Poly (L-Lysine) Carrying Porphyrin and Naphthyl Chromophores / 435
B. Pispisa, M. Venanzi, and M. D'Alagni

RESEARCH COMMUNICATIONS

Counterion Condensation in DNA Systems: The Cylindrical Poisson-Boltzmann Model Revisited / 443
E. Rajasekaran and B. Jayaram

Issue 4, April 1994

Filipin and Its Interaction with Cholesterol in Aqueous Media Studied Using Static and Dynamic Light Scattering / 447
M. A. R. B. Castanho, W. Brown, and M. J. E. Prieto

Solution Conformation of a Pectic Acid Fragment by ^{1}H-NMR and Molecular Dynamics / 457
A. Di Nola, G. Fabrizi, D. Lamba, and A. L. Segre

The Amplitude of Local Angular Motion of Purines in DNA in Solution / 463
S. Nuutero, B. S. Fujimoto, P. F. Flynn, B. R. Reid, N. S. Ribeiro, and J. M. Schurr

α-Helical Assembly of Biologically Active Peptides and Designed Helix Bundle Protein / 481
H. Morii, S. Honda, S. Ohashi, and H. Uedaira

Folding Polypeptide α-Carbon Backbones by Distance Geometry Methods / 489
A. Aszódi and W. R. Taylor

Phosphophoryn, a Biomineralization Template Protein: pH-Dependent Protein Folding Experiments / 507
J. S. Evans and S. I. Chan

Dependence on the Dielectric Model and pH in a Synthetic Helical Peptide Studied by Monte Carlo Simulated Annealing / 529
Y. Okamoto

Partial Molar Volumes, Expansibilities, and Compressibilities of Oligoglycines in Aqueous Solutions at 18–55°C / 541
T. V. Chalikian, A. P. Sarvazyan, T. Funck, and K. J. Breslauer

RESEARCH COMMUNICATIONS

Direct Observation of the Coil–Globule Transition in DNA Molecules / 555
K. Minagawa, Y. Matsuzawa, K. Yoshikawa, A. R. Khokhlov, and M. Doi

Coupling Constants as Restraints in Ensemble Distance Driven Dynamics / 559
D. F. Mierke, R. M. Scheek, and H. Kessler

Issue 5, May 1994

On Higher Buckling Transitions in Supercoiled DNA / 565
T. Schlick, W. K. Olson, T. Westcott, and J. P. Greenberg

The Interaction of Ellipticine Derivatives with Nucleic Acids Studied by Optical and ^{1}H-NMR Spectroscopy: Effect of Size of the Heterocyclic Ring System / 599
G. Behravan, M. Leijon, U. Sehlstedt, B. Nordén, H. Vallberg, J. Bergman, and A. Gräslund

NMR and Molecular Modeling Investigations of the Neuropeptide Bradykinin in Three Different Solvent Systems: DMSO, 9 : 1 Dioxane/Water, and in the Presence of 7.4 m*M* Lyso Phosphatidylcholine Micelles / 611
J. K. Young and R. P. Hicks

Relaxed-Residue Conformational Mapping of the Three Linkage Bonds of Isomaltose and Gentiobiose with MM3 (92) / 625
M. K. Dowd, P. J. Reilly, and A. D. French

Solution Structure and Dynamics of DNA Topoisomers: Dynamic Light Scattering Studies and Monte Carlo Simulations / 639
J. Langowski, U. Kapp, K. Klenin, and A. Vologodskii

Helix Formation by the Phospholipase A_2 38-59 Fragment: Influence of Chain Shortening and Dimerization Monitored by NMR Chemical Shifts / 647
M. A. Jiménez, C. Carreño, D. Andreu, F. J. Blanco, J. Herranz, M. Rico, and J. L. Nieto

Unusually Stable β-Sheet Formation in an Ionic Self-Complementary Oligopeptide / 663
S. Zhang, C. Lockshin, R. Cook, and A. Rich

Site-Specific Thermodynamics of Ising Networks: A Theorem for Linearly Connected Subsystems / 673
E. Di Cera and S. Keating

Biophysical Studies on Fragments of the α-Factor Receptor Protein / 679
A. P. Reddy, M. A. Tallon, J. M. Becker, and F. Naider

Issue 6, June 1994

Magnesium–DNA Interactions from Interpretation of ^{25}Mg-NMR Relaxation Rates: Field and Coion Dependence / 691
L. A. Wright and L. E. Lerner

Copper Ion Complex Formation of Polypeptide Containing Side-Chain Pyridyl Groups / 701
Y. Nagata, S. Kanuka, T. Kinoshita, A. Takizawa, Y. Tsujita, and H. Yoshimizu

NMR Investigation of CYCLO^{7,10}[C^{7},X^{9},C^{10},Nle^{12}] Analogues of the α-Factor from *Saccharomyces cerevisiae* / 709
J. S. Gounarides, C.-B. Xue, J. M. Becker, and F. Naider

Conformation of the Flexible Bent Helix of Leu^{1}-Zervamicin in Crystal C and a Possible Gating Action for Ion Passage / 721
I. L. Karle, J. L. Flippen-Anderson, S. Agarwalla, and P. Balaram

Sol–Gel Transition of Alginate Solution by the Addition of Various Divalent Cations: A Rheological Study / 737
Z.-Y. Wang, Q.-Z. Zhang, M. Konno, and S. Saito

Evidence of Hemoglobin Dissociation / 747
L. Lunelli, P. Zuliani, and G. Baldini

A New Approach for Determining Low-Frequency Normal Modes in Macromolecules / 759
P. Durand, G. Trinquier, and Y.-H. Sanejouand

Conformation and Molecular Dynamics Calculations on Uteroglobin Fragment 18–47 / 773
S. Improta, A. Pastore, S. Mammi, and E. Peggion

Physicochemical Properties of Aqueous Xanthan Solutions: Static Light Scattering / 783
A. Gamini and M. Mandel

RESEARCH COMMUNICATIONS

Structure and Energetics of Plectonemically Supercoiled DNA / 799
A. Lahiri

Issue 7, July 1994

Quadratic Nonlinear Optical Susceptibility of Helical Polymers / 805
I. J. Lalov and R. D. Atanasov

Computer Simulation of the Free Energy of Peptides with the Local States Method: Analogues of Gonadotropin Releasing Hormone in the Random Coil and Stable States / 815
H. Meirovitch, S. C. Koerber, J. E. Rivier, and A. T. Hagler

A Quantum Mechanical Study of the Intrinsic Helix-Forming Tendency of α-Aminoisobutyric Acid and Dehydroalanine Residues / 841
C. Alemán

Circularization of Small DNAs in the Presence of Ethidium: A Theoretical Analysis / 849
J. B. Clendenning and J. M. Schurr

A CD and an NMR Study of Multiple Bradykinin Conformations in Aqueous Trifluoroethanol Solutions / 869
J. R. Cann, X. Liu, J. M. Stewart, L. Gera, and G. Kotovych

Conformational and Binding Properties of Chicken Liver Basic Fatty Acid Binding Protein in Solution / 879
E. Schievano, D. Quarzago, P. Spadon, H. L. Monaco, G. Zanotti, and E. Peggion

Nanometric Design of Extraordinary Hydrophobic-Induced pKa Shifts for Aspartic Acid: Relevance to Protein Mechanisms / 889
D. W. Urry, D. C. Gowda, S. Peng, T. M. Parker, N. Jing, and R. D. Harris

Mechanochemical Study of Conformational Transitions and Melting of Li-, Na-, K-, and CsDNA Fibers in Ethanol–Water Solutions / 897
A. Rupprecht, J. Piškur, J. Schultz, L. Nordenskiöld, Z. Song, and G. Lahajnar

Three-Dimensional Hartree–Fock Crystal-Orbital Calculation on Crystalline Diprotonated Deoxycytidine-5′-Monophosphate Monohydrate: Toward Rationalizing Nucleic Acid Semiconductivity / 921
E. B. Starikov

Shape Complementarity at Protein–Protein Interfaces / 933
R. Norel, S. L. Lin, H. J. Wolfson, and R. Nussinov

PAPQMD/AM1 Parametrization of the Bonded Term of Aromatic Biomolecules / 941
C. Alemán and M. Orozco

IR and Raman Spectroscopic Studies of the Interaction of Trehalose with Hen Egg White Lysozyme / 957
P. S. Belton and A. M. Gil

Design, Synthesis, and Conformation of a Model Peptide of Endothelin with Cystine-Stabilized α-Helix Motif / 963
H. Mihara, K.-Y. Tomizaki, N. Nishino, T. Fujimoto, H. Tamaoki, and Y. Kobayashi

A CD Study of the α-Helix Nucleation Hypothesis / 969
A. Toumadje and W. C. Johnson, Jr.

Solution Three-Dimensional Structure of Surfactin: A Cyclic Lipopeptide Studied by ^{1}H-NMR, Distance Geometry, and Molecular Dynamics / 975
J.-M. Bonmatin, M. Genest, H. Labbé, and M. Ptak

Issue 8, August 1994

Conformation of CD4-Derived Cyclic Hexapeptides by NMR and Molecular Dynamics / 987
S. Ma, M. J. McGregor, F. E. Cohen, and P. V. Pallai

Thermodynamic Basis of Site-Specific Cooperativity / 1001
E. Di Cera

Crystal Structure of cyclo(Pro-Gly)$_3$: Li Complex: A Model for Ion Transport by cyclo (Pro-Gly)$_3$ / 1007
L. M. Thomas, N. Ramasubbu, and K. K. Bhandary

The Thermodynamics of Solvent Exchange / 1015
J. A. Schellman

Molecular Dynamics Simulation of a Leucine Zipper Motif Predicted for the Integrase of Human Immunodeficiency Virus Type I / 1027
C. Y. Wang, C. F. Yang, M. C. Lai, Y. H. Lee, T. L. Lee, and T. H. Lin

Conformation and Sweet Tastes of L-Aspartyl Dipeptide Methyl Esters / 1037
Y. J. Kim, S. J. Han, S. C. Kim, and Y. K. Kang

Morphology and Primary Crystal Structure of a Silk-Like Protein Polymer Synthesized by Genetically Engineered *Escherichia coli* Bacteria / 1049
J. P. Anderson, J. Cappello, and D. C. Martin

Comparative Interactions of Magnesium and Calcium Counterions with Polygalacturonic Acid / 1059
A. Malovíková, M. Rinaudo, and M. Milas

IR and Raman Spectra of L-Aspartic Acid and Isotopic Derivatives / 1065
J. T. López Navarrete, V. Hernández, and F. J. Ramírez

Molecular Dynamics Simulation and NMR Study of a Blood Group H Trisaccharide / 1079
G. Widmalm and R. M. Venable

Physical and Chemical Microstructure of Spider Dragline: A Study by Analytical Transmission Electron Microscopy / 1089
B. L. Thiel, D. D. Kunkel, and C. Viney

Interaction of Water-Soluble Porphyrins with Single- and Double-Stranded Polyribonucleotides / 1099
C. Bustamante, S. Gurrieri, R. F. Pasternack, R. Purrello, and E. Rizzarelli

Fractal-like Patterns in DNA Films, B Form at 0% Relative Humidity, and Antiheteronomous DNA: An IR Study / 1105
B. Sclavi, W. L. Peticolas, and J. W. Powell

Conformational Study of Sequential Lys and Leu Based Polymers and Oligomers Using Vibrational and Electronic CD Spectra / 1115
V. Baumruk, D. Huo, R. K. Dukor, T. A. Keiderling, D. Lelievre, and A. Brack

RESEARCH COMMUNICATIONS

Melting of the Left-handed Helical Conformation of Charged Poly-L-Lysine / 1123
A. A. Makarov, I. A. Adzhubei, I. I. Protasevich, V. M. Lobachov. and G. D. Fasman

Issue 9, September 1994

Thrombin-Bound Conformation of a Cyclic Anticoagulant Peptide Using Transferred Nuclear Overhauser Effect (NOE), Distance Geometry, and NOE Simulations / 1125
Q. Ning, D. R. Ripoll, Z. Szewczuk, Y. Konishi, and F. Ni

Observation of a Sterically Unfavorable Side-Chain Conformation in a Leucyl Residue: Crystal and Molecular Structure of L-Leucyl–L-Leucine · DMSO Solvate / 1139
S. N. Mitra and E. Subramanian

Molecular Dynamics Studies of the Human CD4 Protein / 1145
L. M. Ptaszek, S. Vijayakumar, G. Ravishanker, and D. L. Beveridge

Solution Structure and Dynamics of a Glycoinositol Phospholipid (GIPL-6) from *Leishmania major* / *1155*
C. T. Weller, M. McConville, and S. W. Homans

Solution Conformation of a Cyclic Neurokinin Antagonist: A NMR and Molecular Dynamics Study / 1165
M. Zhang, T. P. Quinn, and T. C. Wong

^{13}C-Labeled Oligodeoxyribonucleotides: A Solution Study of a CCAAT-Containing Sequence at the Nuclear Factor I Recognition Site of Human Adenovirus / 1175
J. Wu and A. S. Serianni

Conformational Polymorphism in Telomeric Structures: Loop Orientation and Interloop Pairing in d($G_4T_nG_4$) / 1187
D. Mohanty and M. Bansal

Theoretical Conformational Analysis of the Opioid δ Antagonist H-Tyr-Tic-Phe-OH and the μ Agonist H-Tyr-D-Tic-Phe-NH_2 / 1213
B. C. Wilkes and P. W. Schiller

Conformational Differences Between *cis* and *trans* Proline Isomers of a Peptide Antigen Representing the Receptor Binding Domain of *Pseudomonas aeruginosa* as Studied by ^{1}H-NMR / 1221
C. McInnes, C. M. Kay, R. S. Hodges, and B. D. Sykes

Prediction of the Conformational Requirements for Binding to the κ-Opioid Receptor and Its Subtypes. I. Novel α-Helical Cyclic Peptides and Their Role in Receptor Selectivity / 1231
N. Collins and V. J. Hruby

α,β-Dehydro-Amino Acid Residues in the Design of Peptide Structures: Synthesis, Crystal Structure, and Molecular Conformation of Two Homologous Peptides—N-Ac-Dehydro-Phe-L-Leu-OCH_3 and N-Ac-Dehydro-Phe-NorVal-OCH_3 / 1243
P. Sharma, P. Narula, and T. P. Singh

Effect of Succinylation on the Membrane Activity and Conformation of a Short Cecropin A-Melittin Hybrid Peptide / 1251
I. Fernández, J. Ubach, F. Reig, D. Andreu, and M. Pons

Transient Electric Birefringence of Agarose Gels. II. Reversing Electric Fields and Comparison with Other Polymer Gels / 1259
J. Stellwagen and N. C. Stellwagen

Thermal Denaturation of Na- and Li-DNA in Salt-Free Solutions / 1275
N. I. Korolev, A. P. Vlasov, and I. A. Kuznetsov

Issue 10, October 1994

Modified Chemotactic Peptides: Synthesis, Conformation, and Biological Activity of For-Thp-Leu-Δ^ZPhe-OMe / 1291
I. Torrini, G. P. Zecchini, M. P. Paradisi, G. Lucente, E. Gavuzzo, F. Mazza, G. Pochetti, S. Traniello, S. Spisani, and G. Cerichelli

Dynamic Viscoelastic Properties of Glycinin and β-Conglycinin Gels from Soybeans / 1303
T. Nagano, T. Akasaka, and K. Nishinari

Molecular Modeling of the Conformational and Sodium Ion Binding Properties of the Oligosaccharide Component of Ganglioside GM1 / 1311
J. C. Rodgers and P. S. Portoghese

Measurement of Long-Range2 ^{13}C-^{1}H Coupling Constants of 95% Uniformly ^{13}C-Labeled Polysaccharide from *Streptococcus mitis* J22 / 1327
R. Gitti, G. Long, and C. A. Bush

Detection of Monodisperse Aggregates of a Recombinant Amelogenin by Dynamic Light Scattering / 1339
J. Moradian-Oldak, J. P. Simmer, E. C. Lau, P. E. Sarte, H. C. Slavkin, and A. G. Fincham

Effects of DNA Charge and Length on the Electrophoretic Mobility of Intercalated DNA / 1349
H. R. Reese

Phosphophoryn, an "Acidic" Biomineralization Regulatory Protein: Conformational Folding in the Presence of Cd(II) / 1359
J. S. Evans, T. Chiu, and S. I. Chan

Vibrational Analysis of Glutathione / 1377
W. Qian and S. Krimm

The Potential Energy Surface of Methyl 3-*O*-(α-D-Mannopyranosyl)-α-D-Mannopyranoside in Aqueous Solution: Conclusions Derived from Optical Rotation / 1395
E. S. Stevens

The Potential Energy Surface of Methyl 2-*O*-(α-D-Mannopyranosyl)-α-D-Mannopyranoside in Aqueous Solution: Conclusions Derived from Optical Rotation / 1403
E. S. Stevens

Defect Peptide Chemistry: Perturbations in the Structure of a Homopentapeptide Induced by a Guest Residue Interrupting Side-Chain Regularity / 1409
E. Benedetti, C. Pedone, V. Pavone, B. Di Blasio, M. Saviano, R. Fattorusso, M. Crisma, F. Formaggio, G. M. Bonora, C. Toniolo, K. Kaczmarek, A. S. Redlinski, and M. T. Leplawy

Conformational Studies of an Undecapeptide Reproducing the Consensus Sequence Around the Cleavage Site of the RXVRG Endoprotease from *Xenopus laevis* Skin / 1419
D. Baron, A.-M. Leseney, F.-R. Chalaoux, and J. Riand

Modeling of Arabinofuranose and Arabinan. II. nmr and Conformational Analysis of Arabinobiose and Arabinan / 1433
S. Cros, A. Imberty, N. Bouchemal, C. H. Du Penhoat, and S. Perez

Issue 11, November 1994

NMR and Molecular Modeling Investigations of the Neuropeptide Substance P in the Presence of 15 m*M* Sodium Dodecyl Sulfate Micelles / 1449
J. K. Young, C. Anklin, and R. P. Hicks

A Crystal Structure with Features of an Antiparallel α-Pleated Sheet / 1463
B. Di Blasio, M. Saviano, R. Fattorusso, A. Lombardi, C. Pedone, V. Valle, and G. P. Lorenzi

Flow Linear Dichroism and Fourier Transform IR Spectra Reveal Geometry for X-Form DNA / 1469
J. H. Riazance-Lawrence, H. Kang, P.-J. Chou, W. C. Johnson, Jr., and M. Vorlíčková

Nuclear Overhauser Effect Spectroscopy (NOESY) Detection of the Specific Interaction Between Substituents in Cellulose and Amylose Triacetates / 1477
Y. Tezuka

Dynamics and Thermomechanical Stability of DNA in Solution / 1483
J. A. Odell and M. A. Taylor

Measurement of Grain Growth in the Recrystallization of Rapidly Frozen Solutions of Antifreeze Glycoproteins / 1495
Y. Yeh, R. E. Feeney, R. L. McKown, and G. J. Warren

β-Alanine Containing Cyclic Peptides with Predetermined Turned Structure. V / 1505
V. Pavone, A. Lombardi, M. Saviano, B. Di Blasio, F. Nastri, R. Fattorusso, O. Maglio, and C. Isernia

β-Alanine Containing Cyclic Peptides with Turned Structure: The "*Pseudo* Type II β-Turn." VI / 1517
V. Pavone, A. Lombardi, M. Saviano, F. Nastri, R. Fattorusso, O. Maglio, C. Isernia, L. Paolillo, and C. Pedone

A Conformational Study of Agarose by Vacuum UV CD / 1527
E. R. Arndt and E. S. Stevens

Conformation of Retro-Bombolitin I in Aqueous Solution Containing Surfactant Micelles / 1535
R. Battistutta, A. Bisello, S. Mammi, and E. Peggion

Electronic and Optical Properties of Wet-Spun Films of Li- and Na-Hyaluronate / 1543
S. A. Lee, M. L. Vansteenberg, N. Lavalle, A. Rupprecht, and Z. Song

Redox-Active Bis-Cysteinyl Peptides. I. Synthesis of Cyclic Cystinyl Peptides by Conventional Methods in Solution and on Solid Supports / 1553
H.-J. Musiol, F. Siedler, D. Quarzago, and L. Moroder

Redox-Active Bis-Cysteinyl Peptides. II. Comparative Study on the Sequence-Dependent Tendency for Disulfide Loop Formation / 1563
F. Siedler, D. Quarzago, S. Rudolph-Böhner, and L. Moroder

Issue 12, December 1994

Parallel Nucleic Acid Helices with Hoogsteen Base Pairing: Symmetry and Structure / 1573
G. Raghunathan, H. T. Miles, and V. Sasisekharan

DNA Binding of a Spermine Derivative: Spectroscopic Study of Anthracene-9-Carbonyl-N^1-Spermine with Poly-[d(G-C)·(d(G-C)] and Poly[d(A-T)·d(A-T)] / 1583
A. Rodger, I. S. Blagbrough, G. Adlam, and M. L. Carpenter

Mixed Conformation in $C^{\alpha,\alpha}$-Disubstituted Tripeptides: X-Ray Crystal Structures of Z-Aib-Dph-Gly-OMe and Bz-Dph-Dph-Gly-OMe / 1595
V. Pavone, A. Lombardi, M. Saviano, B. Di Blasio, F. Nastri, R. Fattorusso, L. Zaccaro, O. Maglio, T. Yamada, Y. Omote, and S. Kuwata

Li^+ Counterion Self-Diffusion in Ordered DNA / 1605
B. Andreasson, L. Nordenskiöld, P.-O. Eriksson, and A. Rupprecht

NMR Study of Collagen-Water Interactions / 1615
J. P. Renou, M. Bonnet, G. Bielicki, A. Rochdi, and P. Gatellier

Direct Observation of Cell Wall Glucans in Whole Cells of *Saccharomyces cerevisiae* by Magic-Angle Spinning ^{13}C-NMR / 1627
E. Krainer, R. E. Stark, F. Naider, K. Alagramam, and J. M. Becker

Crystal Structure of Guanylyl-2′,5′-Cytidine Dihydrate: An Analogue of msDNA-RNA Junction in *Stigmatella aurantiaca* / 1637
R. Krishnan and T. P. Seshadri

Kinked Structures of Isolated Nicotinic Receptor M2 Helices: A Molecular Dynamics Study / 1647
R. Sankararamakrishnan and M. S. P. Sansom

Thermal Unfolding Equilibria in Homodimeric Chicken Gizzard Tropomyosin Coiled Coils / 1659
J. Wrabl, M. E. Holtzer, and A. Holtzer

Predicting Immunoglobulin-Like Hypervariable Loops / 1669
G. Vasmatzis, R. Brower, and C. Delisi

Peptide Libraries: Determination of Relative Reaction Rates of Protected Amino Acids in Competitive Couplings / 1681
J. M. Ostresh, J. H. Winkle, V. T. Hamashin, and R. A. Houghten

Author Index / 1693

Subject Index / 1705

Volume Contents / I